TRIMLIFE PROFILES CO., LTD.
Address: Guanyao, Shishan, Foshan, Guangdong, China
E-Mail: wynn@trimlifeprofiles.com, support@trimlifeprofiles.com
Tel/WhatsApp: +86-136-7974-1023

Scan to connect

TRIMLIFE

GLASS DOORS & SHELVES

ALUMINIUM FRAME PROFILES



PRODUCT CATALOGUE

ALUMINIUM FRAME CABINET DOORS
ALUMINIUM FRAME GLASS SHELVES

www.trimlifeprofiles.com









VERTICAL INTEGRATION

Established in 2003, we specialize in manufacturing decorative aluminium profiles for interior applications, including glass doors. Across 25,000 m² of manufacturing space, we integrate tooling development, extrusion, anodizing, powder coating and CNC machining. This integrated manufacturing model supports consistent quality, reliable lead times and flexible customization.

Designed for distributors, contractors and OEM partners, our manufacturing system supports product development from concept to mass production.

- Custom Profile Development
- Custom Colors & Finishes
- Custom Perforation Patterns
- Custom machining and Length Processing

Parameter	Specification
Established	2003
Facility Area	25,000 m²
Annual Capacity	5,000 Tons
Quality System	ISO 9001 Certified
Service	OEM & ODM
Manufacturing	Tooling, Extrusion, Anodizing, Powder Coating & CNC Machining

COLORS & FINISHES

32 color and finish options for architectural profiles.

ANODIZED/A01-A26



A01
Matt Silver



A02
Matt Champagne



A03
Matt Gold



A04
Matt Copper



A05
Matt Iron Grey



A06
Matt Titanium



A07
Matt Gunmetal



A08
Matt Black



A09
Bright Silver



A10
Bright Champagne



A11
Bright Pale Gold



A12
Bright Gold



A13
Bright Rose Gold



A14
Bright Copper



A15
Bright Titanium



A16
Bright Black



A17
Brushed Silver



A18
Brushed Nickel



A19
Brushed Pale Gold



A20
Brushed Black

Select by code and name. Refer to physical samples for final color and finish approval.



A21
Brushed Gold



A22
Brushed Brass



A23
Brushed Copper



A24
Brushed Gunmetal



A25
Brushed Titanium



A26
Brushed Iron Grey

POWDER COATED/B01-B06

B01
Glossy White



B02
Matt White



B03
White Stone



B04
Grey Stone



B05
Yellow Stone



B06
Black Stone

Color Customization Service

Our standard range covers the most popular architectural finishes. For projects requiring a specific appearance, custom colors can be developed upon request.



ALUMINIUM FRAME CABINET DOORS



NARROW FRAME WITH CURVED FINGER PULL

WITH CUSHIONING STRIP



FRAME SECTIONS



DN21A



DN21B

DESIGN GUIDELINES

- **Profile Combination:** DN21A + DN21B
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -5mm

HINGE:20 Hinge



NARROW FRAME WITH STRAIGHT FINGER PULL

WITH CUSHIONING STRIP



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DN21A + DN21C
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -5mm

HINGE:20 Hinge



TLF | Aluminium Frame Cabinet Doors

NARROW FRAME WITH U-SHAPED HANDLE



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DN36 + DN21D
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** width - 22mm, height - 5mm

HINGE:20 Hinge



NARROW FRAME WITH STRAIGHT FINGER PULL



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DN21D + DN21E
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -5mm

HINGE:20 Hinge



TLF | Aluminium Frame Cabinet Doors

NARROW FRAME



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DN20
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** External Handles
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -25mm

HINGE:20 Hinge



NARROW FRAME WITH CURVED FINGER PULL



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DN202A + DN202B
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -5mm

HINGE:20 Hinge



TLF | Aluminium Frame Cabinet Doors

WIDE FRAME WITH STRAIGHT FINGER PULL

GLASS POSITION: OVERLAY



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DW45A + DW45B
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -5mm

HINGE:35 Hinge



WIDE FRAME
GLASS POSITION: INSET



FRAME SECTIONS



DW49

DESIGN GUIDELINES
- **Profile Combination:** DW49
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** External Handles
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -86mm

HINGE:35 Hinge



TLF | Aluminium Frame Cabinet Doors

NARROW FRAME WITH RECESSED FINGER PULL
FOR PIVOT HINGE



FRAME SECTIONS



DN27

DESIGN GUIDELINES
- **Profile Combination:** DN27
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** 45mm

HINGE: Pivot Hinge



ROUNDED FRAME WITH STRAIGHT FINGER PULL

FOR PIVOT HINGE



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DN30A + DN30B
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -5mm

HINGE: Pivot Hinge





NARROW FRAME WITH STRAIGHT FINGER PULL

FOR PIVOT HINGE



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DN25A + DN25B
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -5mm

HINGE: Pivot Hinge / 25 Hinge





NARROW FRAME WITH STRAIGHT FINGER PULL

FOR PIVOT HINGE



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DN22A + DN22B
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -5mm

HINGE: Pivot Hinge / 25 Hinge



TLF | Aluminium Frame Cabinet Doors

NARROW FRAME WITH SQUARE HANDLE

FOR PIVOT HINGE



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DN25A + DN25C
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -5mm

HINGE: Pivot Hinge / 25 Hinge



NARROW FRAME WITH INTEGRATED FINGER PULL

WITH CUSHIONING STRIP(FOR PIVOT HINGE)



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DN21F + DN21G
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -6mm

HINGE: Pivot Hinge / 25 Hinge



TLF | Aluminium Frame Cabinet Doors

NARROW FRAME FOR PIN HINGES

GLASS POSITION: OVERLAY (WITH CUSHIONING STRIP)



FRAME SECTIONS



DESIGN GUIDELINES

- **Profile Combination:** DN29 + DN21H
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** 200 mm / 1100 mm / Full-Length
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** broadside-22mm, narrow side-5mm

HINGE:35 Pin Hinge



WIDE FRAME FOR PIN HINGES

GLASS POSITION: INSET(WITH CUSHIONING STRIP)



FRAME SECTIONS



DW28

DESIGN GUIDELINES

- **Profile Combination:** DW28
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Handle Length Options:** Recessed Handle
- **Door Size Range:** Width: 200-900 mm, Height: 200-2850 mm
- **Glass Size Deduction:** -43mm

HINGE:25 Pin Hinge



ALUMINIUM FRAME GLASS SHELVES



ILLUMINATED GLASS SHELF - H36 MM



FRAME SECTIONS



S36A
Side Profile (Without LED Strip)

S36B
Front Profile (With LED Strip)

DESIGN GUIDELINES

- **Profile Combination:** S36A+S36B
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Mounting Hole Positions:** Front: 40 mm / Rear: 40 mm
- **Cable Exit:** Rear Left / Rear Right
- **Glass Thickness:** 5mm
- **Glass Size Deduction:** -5mm

SHELF SUPPORTS



TLF | Aluminium Frame Glass Shelves

ILLUMINATED GLASS SHELF - H25 MM



FRAME SECTIONS



S25A
Front Profile (With LED Strip)

S25B
Side Profile (Without LED Strip)

DESIGN GUIDELINES

- **Profile Combination:** S25A+S25B
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Mounting Hole Positions:** Front: 40 mm / Rear: 40 mm
- **Cable Exit:** Rear Left / Rear Right
- **Glass Thickness:** 5mm
- **Glass Size Deduction:** -7mm

SHELF SUPPORTS



ILLUMINATED GLASS SHELF - H22.6 MM



FRAME SECTIONS



S18
Front Profile (With LED Strip)



S22
Side and Rear Profile (Without LED Strip)

DESIGN GUIDELINES

- **Profile Combination:** S18+S22
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Mounting Hole Positions:** Front: 40 mm / Rear: 40 mm
- **Cable Exit:** Rear Left / Rear Right
- **Glass Thickness:** 5mm
- **Glass Size Deduction:** -3mm

SHELF SUPPORTS



TLF | Aluminium Frame Glass Shelves

DOUBLE-SIDED ILLUMINATED GLASS SHELF - H36 MM



FRAME SECTIONS



S36C
Shelf Frame Profile
For Double-Sided Illumination

DESIGN GUIDELINES

- **Profile Combination:** S36C
- **Glass Options:** European Grey / Golden Tea / Grey Tea / Clear / Ultra-Clear / Black / Fluted / Fine-Reeded/ Custom
- **Mounting Hole Positions:** Front: 40 mm / Rear: 40 mm
- **Cable Exit:** Rear Left / Rear Right
- **Glass Thickness:** 8mm
- **Glass Size Deduction:** Upper glass: -4mm / Lower glass: -15mm

SHELF SUPPORTS



TECHNICAL NOTICE

All dimensions, specifications, illustrations, and product information contained in this catalogue are provided for reference purposes only.

Product designs, dimensions, and specifications may be modified without prior notice as part of ongoing product development.

Actual surface finishes and colors may vary slightly from printed or digital representations.

While every effort has been made to ensure the accuracy of this catalogue, the company accepts no responsibility for typographical, clerical, or printing errors.

2026 Trimlife Profiles Co., Ltd. All Rights Reserved.



TLF