TRIMLIFE

ARCHITECTURAL PROFILES

FINISHING · TRANSITION · PROTECTION



PRODUCT CATALOGUE

TILE EDGING · FLOOR TRANSITIONS
STAIR NOSING · SKIRTING

www.trimlifeprofiles.com

TRIMLIFE PROFILES CO., LTD.
Address: Guanyao, Shishan, Foshan, Guangdong, China
E-Mail: wynn@trimlifeprofiles.com, support@trimlifeprofiles.com
Tel/WhatsApp: +86-136-7974-1023

Scan to connect









VERTICAL INTEGRATION

Established in 2003, we manufacture precision aluminium trim and transition profiles for tile, stone, flooring and wall applications. Across a total manufacturing area of 25,000 m², we integrate tooling development, extrusion, anodizing, powder coating and CNC machining. This integrated manufacturing model ensures consistent quality, reliable lead times and flexible customization capabilities.

Designed for distributors, contractors and OEM partners, our manufacturing system supports product development from concept to mass production.

- Custom Profile Development
- Custom Colors & Finishes
- Custom Perforation Patterns
- Custom machining and Length Processing

Parameter	Specification
Established	2003
Facility Area	25,000 m²
Annual Capacity	5,000 Tons
Quality System	ISO 9001 Certified
Service	OEM & ODM
Manufacturing	Tooling, Extrusion, Anodizing, Powder Coating & CNC Machining

COLORS & FINISHES

32 color and finish options for architectural profiles.

ANODIZED/A01-A26

A01
Matt Silver

A02
Matt Champagne

A03
Matt Gold

A04
Matt Copper

A05
Matt Iron Grey

A06
Matt Titanium

A07
Matt Gunmetal

A08
Matt Black

A09
Bright Silver

A10
Bright Champagne

A11
Bright Pale Gold

A12
Bright Gold

A13
Bright Rose Gold

A14
Bright Copper

A15
Bright Titanium

A16
Bright Black

A17
Brushed Silver

A18
Brushed Nickel

A19
Brushed Pale Gold

A20
Brushed Black

A21
Brushed Gold

A22
Brushed Brass

A23
Brushed Copper

A24
Brushed Gunmetal

A25
Brushed Titanium

A26
Brushed Iron Grey

Select by code and name. Refer to physical samples for final color and finish approval.

POWDER COATED/B01-B06

B01
Glossy White

B02
Matt White

B03
White Stone

B04
Grey Stone

B05
Yellow Stone

B06
Black Stone

Color Customization Service

Our standard range covers the most popular architectural finishes. For projects requiring a specific appearance, custom colors can be developed upon request.

PERFORMATION OPTIONS

Round Hole

Triangle Hole

Square Hole



Formable/Bendable

Custom Perforation Available



Custom perforation patterns, hole sizes and spacing can be developed to meet project requirements.

TILE EDGING & FINISHING PROFILES



STRAIGHT EDGE



6063-T5 Aluminum Alloy

Length 1-4m Customized

Tiling

Formable/ Bendable

PROFILE HEIGHT OPTIONS



TST06 TST08 TST10 TST12 TST15 TST18 TST22

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
TST06	6	20	7	2	0.074
TST08	8	20	9	2	0.079
TST10	10	20	11	2	0.085
TST12	12	20	13	2	0.09
TST15	15	20	16	2	0.098
TST18	18	20	19	2	0.106
TST22	22.5	20	23.5	2	0.12



ROUND EDGE



6063-T5 Aluminum Alloy

Length 1-4m Customized

Tiling

PROFILE HEIGHT OPTIONS



TRD06 TRD08 TRD10 TRD12

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
TRD06	6	26	7.5	6	0.091
TRD08	8	28	9.5	8	0.108
TRD10	10	30	11.5	10	0.124
TRD12	12	32	13.5	12	0.141

TLF | Tile Edging and Finishing



SQUARE EDGE



6063-T5 Aluminum Alloy

Length 1-4m Customized

Tiling

PROFILE HEIGHT OPTIONS



TSQ08 TSQ10 TSQ12

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
TSQ08	8	9	27	10	0.125
TSQ10	10	11	27	10	0.136
TSQ12	12	13	27	10	0.147



TRIANGLE EDGE



6063-T5 Aluminum Alloy

Length 1-4m Customized

Tiling

PROFILE HEIGHT OPTIONS



TTR10



TTR12

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
TTR12	10	11	32	11	0.133
TTR10	12	13	32	13	0.141

TLF | Tile Edging and Finishing

TILE EDGING ACCESSORIES



Straight Edge Corner



Triangle Edge Corner



Round Edge Corner



Square Edge Corner



CORNER PROTECTOR



6063-T5 Aluminum Alloy

Length 1-4m Customized

Tiling

PROFILE SIZE OPTIONS



TCP10



TCP15



TCP20



TCP25

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
TCP10	10	10	9	0.047
TCP15	15	15	14	0.091
TCP20	20	20	19	0.101
TCP25	25	25	24	0.128



INTERNAL TRIM



6063-T5 Aluminum Alloy

Length 1-4m Customized

Tiling

PROFILE SIZE OPTIONS



TIN16



TIN22

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
TIN16	16	11.5	8.5	0.069
TIN22	22	15.8	11.4	0.1



LISTELLO



6063-T5 Aluminum Alloy

Length 1-4m Customized

Tiling

PROFILE WIDTH OPTIONS



TLT10 TLT20 TLR10 TLR20

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
TLT10	10	8	2.6	6	0.072
TLT20	20	8	4.2	6	0.108
TLR10	10	8	2.6	6	0.067
TLR20	20	8	4.2	6	0.104

FLOORING & TRANSITION PROFILES



T-STRIP





PROFILE WIDTH OPTIONS



FDT14

FDT22

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
FDT14	14	8	9	0.059
FDT22	22	9	10	0.083



COVER PROFILE





PROFILE WIDTH OPTIONS



FCP28

FCP40

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
FCP28	28	2.3	3.5	0.077
FCP40	40	2	3.5	0.139



REDUCER

Retrofit





PROFILE HEIGHT OPTIONS



FRR03 FRR08 FRR13

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
FRR03	3	27	4.5	22.8	0.105
FRR08	8	32	9.5	22.8	0.137
FRR13	13	37	14.5	22.8	0.169



CURVED REDUCER

Retrofit





PROFILE WIDTH OPTION



FCR32

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
FCR32	0-15	32	6.5	0.138



RAMP

Retrofit





PROFILE WIDTH OPTION



FRA80

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
FRA80	8-15	80.3	20.4	0.771



RAMP

Tile In





PROFILE HEIGHT OPTIONS



FTRA10



FTRA12

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
FTRA10	10	87.6	66.6	0.403
FTRA12	12.5	87.6	57.9	0.417



EDGE PROFILE

Laminate/Wood Flooring





PROFILE HEIGHT OPTIONS



DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
FWE08	8.5	13	25	10.5	0.119
FWE10	10.5	13	25	12.5	0.125
FWE12	12.5	18	25	14.5	0.141
FWE15	15.5	18	25	17.5	0.151
FWE18	18.5	18	25	20.5	0.159



EDGE PROFILE

Vinyl/LVT/SPC Flooring





PROFILE HEIGHT OPTIONS



DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
FVE03	3	8	22.8	5.4	0.085
FVE05	5	8	22.8	7.4	0.091
FVE07	7	8	22.8	9.4	0.098
FVE09	9	8	22.8	11.4	0.104



REDUCER

Vinyl/LVT/SPC Flooring





PROFILE HEIGHT OPTIONS



FVR03 FVR05 FVR07 FVR09

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
FVR03	3	8	28.2	6.4	0.108
FVR05	5	8	28.2	8.4	0.114
FVR07	7	8	28.2	10.4	0.121
FVR09	9	8	28.2	12.4	0.129

STAIR NOSING & EDGE PROTECTION



STAIR NOSING

Retrofit





PROFILE WIDTH OPTIONS



SSN30

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
SSN30	30	20	18.5	0.166



GROOVED NOSING

Retrofit





PROFILE WIDTH OPTIONS



SGSN35 SGSN50

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
SGSN35	35	20	22	0.247
SGSN50	50	35	37	0.388



BULLNOSE

Retrofit



6063-T5 Aluminum Alloy

Length 1-4m Customized

Stairs

PROFILE HEIGHT OPTIONS



SBN30



SBN44

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
SBN30	29.5	30	27.5	0.158
SBN44	44	35	42	0.21

TLF | Stair Nosing and Edge Protection



STAIR NOSING

Tile In



6063-T5 Aluminum Alloy

Length 1-4m Customized

Stairs

PROFILE HEIGHT OPTIONS



STSN10



STSN12

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
STSN10	10	41.5	20.5	11	0.222
STSN12	12.5	41.5	20.5	13.5	0.238



STAIR NOSING

Heavy Duty & Tile In





PROFILE HEIGHT OPTIONS



SHSN10 SHSN12

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
SHSN10	10	74	56	55	0.542
SHSN12	12.5	74	56	57	0.565

TLF | Stair Nosing and Edge Protection



STAIR NOSING

Laminate/Wood Flooring





PROFILE HEIGHT OPTIONS



SWSN08 SWSN10 SWSN12

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
SWSN08	8.5	22.5	18	25	0.184
SWSN10	10.5	24.5	18	25	0.189
SWSN12	12.5	26.5	18	25	0.172



STAIR NOSING

Vinyl/LVT/SPC





PROFILE HEIGHT OPTIONS



SVSN03 SVSN05 SVSN07 SVSN09

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
SVSN03	3	46.6	25.4	42	0.283
SVSN05	5	48.6	25.4	42	0.296
SVSN07	7	50.6	25.4	42	0.312
SVSN09	9	52.6	25.4	42	0.307



SKIRTING





PROFILE HEIGHT OPTIONS



SKB60 SKB80 SKB100

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
SKB60	60	9.4	12.4	3	0.289
SKB80	80	9.4	12.4	3	0.377
SKB100	100	9.4	12.4	3	0.465

SKIRTING ACCESSORIES



Right End Cap



Left End Cap



Internal Corner



External Corner

TECHNICAL NOTICE

All dimensions, specifications, illustrations, and product information contained in this catalogue are provided for reference purposes only.

Product designs, dimensions, and specifications may be modified without prior notice as part of ongoing product development.

Actual surface finishes and colors may vary slightly from printed or digital representations.

While every effort has been made to ensure the accuracy of this catalogue, the company accepts no responsibility for typographical, clerical, or printing errors.

2026 TrimLife Aluminum Profiles Co., Ltd. All Rights Reserved.

